



How to add AX HYBRID PRO 2.0 to HC via WiFi

Title:	How to add AX HYBRID PRO 2.0 to HC via WiFi	Version:	V2.1.0 250123 and later version	Date:	02/03/2025
Product:	AX HYBRID PRO 2.0			Page:	1 of 5


Preparation

1. Prepare a public WiFi.
2. Turn on the WiFi switch on your phone.
3. Download Hik-Connect on your phone.

How to add AX HYBRID PRO 2.0 to HC via WiFi

1. Open HC on your phone and click the plus sign in the upper right corner.

- 1) Click on the **plus sign** → Click on **Scan QR Code**




- 2) Scan the **QR code on the device** and jump to the interface → Switch the AX/STA button to **AP(HOTSPOT)** → Click **OK**




2. Configure the network for the device.

- 1) Connect to the device's hotspot.



- 2) Display a list of WiFi that can be added near the device, select a WIFI and enter the


password→ Click **OK**



3) Make sure to switch to the station mode (WLAN) → Click **OK**



3) Waiting for additions to complete → Adding completed




Note:


If the addition is not completed within 120s, the system goes to the page where the addition fails and tries to add the device again according to the instructions on the page.


3. Select whether you want auto-hosting

1) On this screen, choose whether to host according to your requirements.



- 2) After the device is added, **wait one minute** on the screen then the device can be configured normally. (It takes 1 minute for the device to report to the cloud platform)





See Far, Go Further