DS-TVL221-3-5/H
Parking Guidance Outdoor LED Screen Module



- Standard RJ45 communication
- Display 4 digits of remaining parking space number
- Easy configuration and maintenance
- LED module supports seven colors


▪ Specification

General	
Power Supply	AC100V~AC240V
Max. Consumption	12W
Working Temperature and Humidity	-20℃ ~+50℃
Weight	4.65 kg (10.25 lb.)
Dimensions	392 × 231.9 × 66 mm (15.43 × 9.13 × 2.6 inch)
Weight (with Package)	5.55 kg (12.24 lb.)
Dimensions (with Package)	470mm*340mm*150mm (18.5 × 13.39 × 5.91 inch)
Display Screen	
Screen Type	Outdoor parking guidance screen with 4 digits
Pixel Pitch	5mm
Viewing Angle	110°
Luminance	4000cd/m²
Scanning Mode	1/8A Model Scanning
Display Color	red, green, yellow, blue, purple, cyan, white
Communication Mode	RJ45

▪ Available Model

DS-TVL221-3-5/H

▪ Dimension



See Far, Go Further

www.hikvision.com
support@hikvision.com

© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

HIKVISION®