
# DS-1693ZJ(B)
# Wall Mount



- Q235 steel with a plastic spray coating
- Equipped with an installation and debugging port for easy cable threading, wiring, and maintenance
- Built with welded and threaded joints for strength and reliability


## ▪ Specification

| General | |
|---|---|
| Dimension | 500 mm × 277.3 mm × 200 mm (19.69" × 10.92" × 7.87") |
| Material | Q235 |
| Weight | 7.5 kg (16.53 lb.) |

## ▪ Available Model

DS-1693ZJ(B)(STD)

## ▪ Dimension




## ▪ Accessory



iDS-2DY9C280IX



iDS-2DY9C840I2AX



iDS-2DY9C240IX



DS-2DY9C280LX



iDS-2DY9C840IAX



iDS-2DY9C260I2AX-D/AR/VS/SP(F2)(B)



iDS-2DY9C850IAX



iDS-2DY9C840I2AX-D/



iDS-2DY9C212I2AX-D/SP/AR(F1)(B)



DS-2DY9C840LXG-LWY/14



iDS-2DY9C440IX-D/AR/SP/FS(F1)



iDS-2DY9C



DS-2DY9C460LXG-LWY/14



iDS-2DY9C280IAX



iDS-2DY9C212



DS-2DY9C260LX



iDS-2DY9C232IX



iDS-2DY9C440IAX



iDS-2DY9C260IAX



iDS-2DY9C440IX-D/



iDS-2DY9C440IX-D/AR/SP/CP(F1)



iDS-2DY9C440IX



iDS-2DY9C260I2AX



iDS-2DY9C460I2AX-D/



iDS-2DY9C460I2AX



iDS-2DY9C440BX



iDS-2DY9C850IX



iDS-2DY9C850I2AX-D/

See Far, Go Further

www.hikvision.com
support@hikvision.com

© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

HIKVISION®